

Molecular Immunology

**LIST OF CONTENTS AND
AUTHOR INDEX
FOR VOLUME 31, 1994**



PERGAMON

Molecular Immunology

Board of Regional Editors

- Prof. MICHEL FOUGEREAU (Chairman of the Board), *Centre d'Immunologie de Marseille-Luminy, Case 906, 13288 Marseille Cedex 9, France*
Dr JANNIE BORST, *Division of Cellular Biochemistry, The Netherlands Cancer Institute, Plesmanlaan 121, 1066 CX Amsterdam, The Netherlands*
Dr STEVE DOWER, *Immunex Corporation, 51 University Street, Seattle, WA 98101, U.S.A.*
Dr STEVE GERONDAKIS, *The Walter and Eliza Hall Institute of Medical Research, Royal Melbourne Hospital, Victoria 3050, Australia*
Dr DAVID HOLOWKA, *Department of Chemistry, Cornell University, Ithaca, NY 14853, U.S.A.*
Dr ED PALMER, *Basel Institute for Immunology, Grenzacherstrasse 487, CH-4005, Basel, Switzerland*
Dr HIDDE PLOEGH, *Massachusetts Institute of Technology, Center for Cancer Research, 40 Ames Street, E17-322, Cambridge, MA 02139, U.S.A.*

Founding Editor

Prof. DAN H. CAMPBELL

Advisory Editors

- | | | |
|---|--|--|
| B. H. BARBER
<i>Toronto, Canada</i> | ARNOLD FROESE
<i>Winnipeg, Canada</i> | JIRI NOVOTNY
<i>Princeton, NJ, U.S.A.</i> |
| DAVID H. BING
<i>Boston, MA, U.S.A.</i> | C. GRANIER
<i>Montpellier, France</i> | EDUARDO A. PADLAN
<i>Bethesda, MD, U.S.A.</i> |
| C. A. BONA
<i>New York, NY, U.S.A.</i> | JOHN K. INMAN
<i>Bethesda, MD, U.S.A.</i> | ISRAEL PECHT
<i>Rehovot, Israel</i> |
| GUY BORDENAVE
<i>Paris, France</i> | DAVID ISENMAN
<i>Toronto, Canada</i> | JEAN-LOUIS PREUD'HOMME
<i>Poitiers, France</i> |
| DENNIS R. BURTON
<i>San Diego, CA, U.S.A.</i> | M. KAARTINEN
<i>Helsinki, Finland</i> | KENNETH H. ROUX
<i>Tallahassee, FL, U.S.A.</i> |
| L. WILLIAM CLEM
<i>Jackson, MI, U.S.A.</i> | JEAN-PIERRE KINET
<i>Bethesda, MD, U.S.A.</i> | D. J. ROWLANDS
<i>London, U.K.</i> |
| JOHN E. COLIGAN
<i>Bethesda, MD, U.S.A.</i> | MICHEL KLEIN
<i>Toronto, Canada</i> | VERNE N. SCHUMAKER
<i>Los Angeles, CA, U.S.A.</i> |
| MAURICE COLOMB
<i>Grenoble, France</i> | D. M. KRANZ
<i>Urbana, IL, U.S.A.</i> | DAVID M. SEGAL
<i>Bethesda, MD, U.S.A.</i> |
| GIAMPIETRO CORRADIN
<i>Lausanne, Switzerland</i> | M. P. LEFRANC
<i>Montpellier, France</i> | B. DAVID STOLLAR
<i>Boston, MA, U.S.A.</i> |
| M. DAERON
<i>Paris, France</i> | WARREN J. LEONARD
<i>Bethesda, MD, U.S.A.</i> | MARC VAN REGENMORTEL
<i>Strasbourg, France</i> |
| M. P. DIERICH
<i>Innsbruck, Austria</i> | HENNING LOWENSTEIN
<i>Horsholm, Denmark</i> | EDWARD W. VOSS, JR
<i>Urbana, IL, U.S.A.</i> |
| DOUGLAS FEARON
<i>Cambridge, U.K.</i> | J. P. MACH
<i>Epalinges, Switzerland</i> | JUNJI YODOI
<i>Kyoto, Japan</i> |
| Z. FISHELSON
<i>Tel Aviv, Israel</i> | DAVID G. MARSH
<i>Baltimore, MD, U.S.A.</i> | D. C. YUAN
<i>Dallas, TX, U.S.A.</i> |
| R. FRADE
<i>Paris, France</i> | SHERIE L. MORRISON
<i>Los Angeles, CA, U.S.A.</i> | |

Production Editor

TANWEN EVANS, *Elsevier Science Ltd, Oxford OX5 1GB, U.K. Tel. 01865 843735.*

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K., and Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. Annual Institutional Subscription Rates 1995: North, Central and South America, U.S.\$1349.00, Rest of World £905.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and for the remainder of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Published monthly plus additional issues in February, April, June, August, October and December.

Copyright © 1994 Elsevier Science Ltd

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Second Class Postage paid at Newark, NJ and additional mailing offices. Postmaster send address corrections to *Molecular Immunology*, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

CONTENTS OF VOLUME 31

NUMBER 1

- Y. Altuvia, J. A. Berzofsky,
R. Rosenfeld and H. Margalit 1 Sequence features that correlate with MHC restriction
- S.-I. Kanazashi, D. Hata, T. Ishigami,
E.-Y. Jung, N. Shintaku,
S.-I. Sumimoto, T. Heike,
K. Katamura and M. Mayumi 21 Induction of phosphatidylinositol turnover and EGR-1
mRNA expression by crosslinking of surface IgM and IgD
in the human B cell line B104
- E. Batanero, M. Villalba and
R. Rodríguez 31 Glycosylation site of the major allergen from olive tree
pollen. Allergenic implications of the carbohydrate moiety
- K. D. Victor and J. D. Capra 39 An apparently common mechanism of generating antibody
diversity: length variation of the V_L-J_L junction
- D. Couez, F. Pagès, M. Ragueneau,
J. Nunès, S. Klasen, C. Mawas,
A. Truneh and D. Olive 47 Functional expression of human CD28 in murine T cell
hybridomas
- J. Avila-Cariño, Zs. Végh and
E. Klein 59 Generation of HLA-B55 restricted T lymphocyte mediated
cytotoxicity against autologous LCL
- M.-H. Cottet, C. Denoyelle and
G. Bordenave 65 Epitope complementarity and idiotypic interactions: a
study of idiotypic-like interactions between anti-cytidine
and anti-guanosine A/J mouse monoclonal antibodies—I.
Characterization of these interactions
- M.-H. Cottet and G. Bordenave 75 *Brief structural data reports*
Epitope complementarity and idiotypic interactions: a study
of idiotypic-like interactions between anti-cytidine and
anti-guanosine A/J mouse monoclonal antibodies—II.
Analysis of the gene repertoire used to encode the variable
regions of these antibodies
- P. Thammana 77 Characterization of a deletion in the P3 myeloma heavy
chain V region sequence in the non-secreting cell line NS1
- X. X. Tang, N. Ikegaki and
E. Heber-Katz 79 *Short Communication*
Nucleotide sequences of three new members of the mouse
V α 2 gene family
- i *Forthcoming Papers*

NUMBER 2

- B. J. Rogerson 83 Mapping the upstream boundary of somatic mutations in
rearranged immunoglobulin transgenes and endogenous
genes
- C. L. Chou and S. L. Morrison 99 Intron sequences determine the expression of kappa light
chain genes
- C. Genevée, V. Chung, A. Diu,
T. Hercend and F. Triebel 109 TCR gene segments from at least one third of V α
subfamilies rearrange at the δ locus
- R. A. Spooner, D. J. Allen,
A. A. Epenetos and J. M. Lord 117 Expression of immunoglobulin heavy chain-ricin A chain
fusions in mammalian cells

- | | |
|---|--|
| R. Zemel, D. G. Schindler,
D. S. Tawfik, Z. Eshhar and
B. S. Green | 127 Differences in the biochemical properties of esterolytic antibodies correlate with structural diversity |
| B. G. Monks, B. A. Martell,
J. A. Buras and M. J. Fenton | 139 An upstream protein interacts with a distinct protein that binds to the cap site of the human interleukin 1 β gene |
| R. J. Carlin, C. Kamps-Holtzapfle
and L. H. Stanker | 153 Characterization of monoclonal anti-furosemide antibodies and molecular modeling studies of cross-reactive compounds |
| <i>Short communication</i> | |
| M.-A. Bakos, S. G. Widen and
R. M. Goldblum | 165 Expression and purification of biologically active domain I of the human polymeric immunoglobulin receptor |

i *Forthcoming Papers*

NUMBER 3

- | | |
|---|---|
| <i>Review</i> | |
| E. A. Padlan | 169 Anatomy of the antibody molecule |
| D. P. McGregor, P. E. Molloy,
C. Cunningham and W. J. Harris | 219 Spontaneous assembly of bivalent single chain antibody fragments in <i>Escherichia coli</i> |
| I. Yokoyama and F. Waxman | 227 Differential susceptibility of immune complexes to release from the erythrocyte CR1 receptor by Factor I |
| R. J. Pogulis and L. R. Pease | 241 Alternative pre-mRNA splicing of <i>Kλ</i> eliminates a sequence that is unique to <i>H-2K</i> transcripts |
| 245 <i>Announcement</i> | |
| i <i>Forthcoming Papers</i> | |

NUMBER 4

- | | |
|---|---|
| C. Blondin, E. Fischer,
C. Boisson-Vidal, M. D. Kazatchkine
and J. Jozefonvicz | 247 Inhibition of complement activation by natural sulfated polysaccharides (fucans) from brown seaweed |
| M. Daibata, M. Xu, R. E. Humphreys
and V. E. Reyes | 255 More efficient peptide binding to MHC class II molecules during cathepsin B digestion of I $_i$ than after I $_i$ release |
| K. De Sutter and W. Fiers | 261 A bifunctional murine::human chimeric antibody with one antigen-binding arm replaced by bacterial β -lactamase |
| N. Tuaillon, R. A. Watts,
D. A. Isenberg and S. Muller | 269 Sequence analysis and fine specificity of two human monoclonal antibodies to histone H1 |
| M. Czerwinski, D. P. Blackall,
W. R. Abrams, R. J. Rubocki and
S. L. Spitalnik | 279 Restricted V $_H$ gene usage by murine hybridomas directed against the human N, but not M, blood group antigen |
| T. L. McInerney, L. E. Brown,
V. R. Sutton and D. C. Jackson | 289 Analysis of antibody-antigen and antibody-anti-(idiotypic antibody) cross-reactivity using synthetic peptide probes |

- L. S. Zalman and H. Müller-Eberhard** 301 Homologous restriction factor: effect on complement C8 and C9 uptake and lysis
- M. Oppermann and O. Götze** 307 Characterization of physiologic breakdown products of the complement fragment Ba
- T. Hettmann and A. Cohen** 315 Identification of a T cell-specific transcriptional enhancer 3' of the human T cell receptor gamma locus
- K. A. Gómez and L. A. Retegui** 323 Synergistic monoclonal antibodies' interactions and their use for determination of antibody specificities

i *Forthcoming Papers*

NUMBER 5

- A. Daser, H. Urlaub and P. Henklein** 331 HLA-B27 binding peptides derived from the 57 kD heat shock protein of *Chlamydia trachomatis*: novel insights into the peptide binding rules
- T. Yano and M. Nakao** 337 Isolation of a carp complement protein homologous to mammalian factor D
- D. T. M. Leung, T. T. Loh and P. L. Lim** 343 The antigen-specific immunoglobulin G receptor is more sensitive to stimulation than the IgM receptor in transfected B cells
- P. L. Lim, S. T. H. Chan, D. T. M. Leung, S. S. M. Ng and T. T. Loh** 351 Production of anti-phosphorylcholine antibodies of the T15 idiotype in CBA/N *xid* mice: investigation of the defect using a T15 immunoglobulin transgene
- T. Babas, S. Benichou, D. Guetard, L. Montagnier and E. Bahraoui** 361 Specificity of antipeptide antibodies produced against V2 and V3 regions of the external envelope of human immunodeficiency virus type 2
- K. Sato, M. Tsuchiya, J. Saldanha, Y. Koishihara, Y. Ohsugi, T. Kishimoto and M. M. Bendig** 371 Humanization of a mouse anti-human interleukin-6 receptor antibody comparing two methods for selecting human framework regions
- R. A. Insel, W. S. Varade and E. Marin** 383 Human splenic IgM immunoglobulin transcripts are mutated at high frequency
- B. Åkerström, A. Lindqvist, C. V. Maelen, A. Grubb, G. Lindahl and J.-P. Vaerman** 393 Interaction between streptococcal protein Arp and different molecular forms of human immunoglobulin A
- M. Bochan, G. Hommel-Berrey and Z. Brahmi** 401 Target cell-directed degradation of perforin mRNA in CTL: lack of correlation with loss of protein and lytic ability

411 *Announcement*

i *Forthcoming Papers*

NUMBER 6

- M. P. I. Serrano, A. Cardona, B. Vernet der Garabedian, J.-F. Bach and J.-M. Pléau** 413 Nucleotide sequences of variable regions of an human anti-acetylcholine receptor autoantibody derived from a myasthenic patient

- S. Vasile, J. E. Coligan,
M. Yoshida and B. K. Seon 419 Isolation and chemical characterization of the human B29 and mb-1 proteins of the B cell antigen receptor complex
- G. Tosi, S. Brunelli, G. Mantero,
A. R. Magalini, M. Soffiati, L. Pinelli,
G. Tridente and R. S. Accolla 429 The complex interplay of the DQB1 and DQA1 loci in the generation of the susceptible and protective phenotype for insulin-dependent diabetes mellitus
- J.-C. Mani, V. Marchi
and C. Cucurou 439 Effect of HIV-1 peptide presentation on the affinity constants of two monoclonal antibodies determined by BIAcore™ technology
- J. M. C. Teng and K. T. Hogan 445 Residues outside of the HLA-A2 peptide-binding groove can abrogate or enhance recognition of influenza virus matrix peptide pulsed cells by cytotoxic T lymphocytes
- J. M. C. Teng and K. T. Hogan 459 Both major and minor peptide-binding pockets in HLA-A2 influence the presentation of influenza virus matrix peptide to cytotoxic T lymphocytes
- L. R. Covey, A. M. Cleary,
M. J. Yellin, R. Ware, G. Sullivan,
J. Belko, M. Parker, P. Rothman,
L. Chess and S. Lederman 471 Isolation of cDNAs encoding T-BAM, a surface glycoprotein on CD4⁺ T cells mediating contact-dependent helper function for B cells: identity with the CD40-ligand
- A. M. Wu, F. Shen, A. Herp
and J. H. Wu 485 Interaction of hamster submaxillary sialyl-Tn and Tn glycoproteins with Gal, GalNAc and GlcNAc specific lectins
- P. M. Smith, E. K. Ong,
R. B. Knox and M. B. Singh 491 Immunological relationships among Group I and Group V allergens from grass pollen
- J. Hansen, J.-A. Leong
and S. Kaattari 499 *Short communication*
Complete nucleotide sequence of a rainbow trout cDNA encoding a membrane-bound form of immunoglobulin heavy chain

i *Forthcoming Papers*

NUMBER 7

- C. Persin, M. Korn, L. Vogel
and D. Haustein 503 The composition of the intracellular domains of the B cell antigen receptor complex studied from the cytoplasmic side of the membrane
- K. Hazeki, T. Seya, O. Hazeki
and M. Ui 511 Involvement of the pertussis toxin-sensitive GTP-binding protein in regulation of expression and function of granulocyte complement receptor type 1 and type 3
- K. Minoguchi, H. Kihara,
H. Nishikata, M. M. Hamawy
and R. P. Siraganian 519 Src family tyrosine kinase Lyn binds several proteins including paxillin in rat basophilic leukemia cells
- Lan-Yang Ch'ang, Chin-Ping Yen,
L. Besl, M. Schell and A. Solomon 531 Identification and characterization of a functional human Ig V_{AVI} germline gene
- P. R. Droupadi, J. M. Varga and
D. S. Linthicum 537 Mechanism of allergenic cross-reactions—IV. Evidence for participation of aromatic residues in the ligand binding site of two multi-specific IgE monoclonal antibodies

- P. Rovero, D. Riganelli, D. Fruci, S. Viganò, S. Pegoraro, R. Revoltella, G. Greco, R. Butler, S. Clementi and N. Tanigaki 549 The importance of secondary anchor residue motifs of HLA class I proteins: a chemometric approach
- M. Adib-Conquy, M. Gilbert, C. Christodoulou and S. Avrameas 555 Reactivity and structure of a mouse anti-F(ab')₂ IgM. Comparison of its variable region sequences with those of a structurally close polyreactive natural IgM
- N. J. Fasel, N. Deglon, C. Beghdadi-Rais, R. Law, C. Bron and R. Wall 563 *Short communication* Minimal membrane and secreted μ poly(A) signals specify developmentally-regulated immunoglobulin heavy chain mRNA ratios without RNA splicing

567 *Announcement*i *Forthcoming Papers*

NUMBER 8

- P. Corbeau, M. Haran, H. Binz and C. Devaux 569 Jacalin, a lectin with anti-HIV-1 properties, and HIV-1 gp120 envelope protein interact with distinct regions of the CD4 molecule
- L. J. N. Cooper, D. Robertson, R. Granzow and N. S. Greenspan 577 Variable domain-identical antibodies exhibit IgG subclass-related differences in affinity and kinetic constants as determined by surface plasmon resonance
- J. D. Rioux, Y. Larose, B. R. Brodeur, D. Radzioch and M. M. Newkirk 585 Structural characteristics of four human hybridoma antibodies specific for the pp65 protein of the human cytomegalovirus and their relationship to human rheumatoid factors
- K. H. Roux and N. S. Greenspan 599 Monitoring the formation of soluble immune complexes composed of idiotype and anti-idiotype antibodies by electron microscopy
- P. Arvind, E. D. Papavassiliou, G. J. Tsioulis, B. W. Ducean, C. I. P. Lovelace, W. Geng, L. Staiano-Coico and B. Rigas 607 Lithocholic acid inhibits the expression of HLA class I genes in colon adenocarcinoma cells. Differential effect on HLA-A, -B and -C loci
- M. C. Mullenix and R. F. Mortensen 615 Calcium ion binding regions in C-reactive protein: location and regulation of conformational changes
- I. Vitte-Mony, M. Delespine-Carmagnat and J. H. Bertoglio 623 Signal transduction of interleukin 2 in human natural killer cells: involvement of the p56^{lck} tyrosine kinase
- W. R. Brown and J. E. Butler 633 Characterization of a C α gene of swine

i *Forthcoming Papers*

NUMBER 9

- D. A. Tanguay and T. C. Chiles 643 Cell cycle-specific induction of Cdk2 expression in B lymphocytes following antigen receptor cross-linking

B. S. Wang, R.-j. Zhang, C. A. Bona and T. M. Moran	651	Promotion of animal growth with a monoclonal anti-idiotypic specific to anti-porcine growth hormone antibody
J.-P. Fripiat and M.-P. Lefranc	657	Genomic organisation of 34 kb of the human immunoglobulin lambda locus (IGLV): restriction map and sequences of new V λ III genes
I. MacDonald, K. A. Knox and J. Gordon	671	Stimulation of human B lymphocytes by phorbol esters reported to be selective in the protein kinase C isoforms they activate
N. A. Mooney, L. Ju, C. Brick-Ghannam and D. J. Charron	675	Bacterial superantigen signaling via HLA class II on human B lymphocytes
A. H. Horwitz, R. Nadell, F. Preugschat and M. Better	683	Chimeric immunoglobulin light chains are secreted at different levels: influence of Framework-1 amino acids
D. L. DiGiusto and E. Palmer	693	An analysis of sequence variation in the β chain framework and complementarity determining regions of an alloreactive T cell receptor
	701	<i>Announcement</i>
	703	<i>Errata</i>
	i	<i>Forthcoming Papers</i>

NUMBER 10

B. A. Tjoa and D. M. Kranz	705	Sequence restrictions in T cell receptor β -chains that have specificity for a self-peptide/L ^d complex
D. B. Rubinstein, R. S. Schwartz, T. Guillaume, P. Leblanc and A. K. Stewart	713	Germline complexity, restriction fragment length polymorphism, and coding region sequences of the human VH7 gene family identified with family-specific FR3 segment oligonucleotides
M. Xu, G. A. Capraro, M. Daibata, V. E. Reyes and R. E. Humphreys	723	Cathepsin B cleavage and release of invariant chain from MHC class II molecules follow a staged pattern
J. E. Pease, D. R. Burton and M. D. Barker	733	Site directed mutagenesis of the complement C5a receptor—examination of a model for its interaction with the ligand C5a
K. E. Forsten and D. A. Lauffenburger	739	The role of low-affinity interleukin-2 receptors in autocrine ligand binding: alternative mechanisms for enhanced binding effect
C. R. Libertin, L. Ling-Indeck, M. Padilla and G. E. Woloschak	753	Cytokine and T-cell subset abnormalities in immunodeficient wasted mice
B. D. Reilly, V. M. Skanes and R. P. Levine	761	Evidence showing that the 1105 and 1106 isotypic residues of the fourth component of human complement, C4A, are not involved in amide bond formation
R. Bei, J. Kantor, S. V. S. Kashmiri and J. Schlom	771	Serological and biochemical characterization of recombinant baculovirus carcinoembryonic antigen
	781	<i>Announcement</i>
	i	<i>Forthcoming Papers</i>

NUMBER 11

- J. E. Riggs, A. J. Feeney,
M. Kirven and D. E. Mosier 783 V_H11 bias and normal V-D-J junctions in SCID B lymphocytes rescued by neonatal T cell transfer
- M. F. Prummel, G. Chazenbalk,
J. C. Jaume, B. Rapoport and
S. M. McLachlan 793 Profile of lambda light chain variable region genes in Graves' orbital tissue
- Y.-S. Jang, J. A. Mikszta and
B. S. Kim 803 T cell epitope recognition involved in the low-responsiveness to a region of hen egg lysozyme (46-61) in C57BL/6 mice
- A. Sette, J. Sidney,
M.-F. del Guercio, S. Southwood,
J. Ruppert, C. Dahlberg,
H. M. Grey and R. T. Kubo 813 Peptide binding to the most frequent HLA-A class I alleles measured by quantitative molecular binding assays
- T. Ventura-Holman, J. C. Jones,
S. H. Ghaffari and C. J. Lobb 823 Structure and genomic organization of V_H gene segments in the channel catfish: members of different V_H gene families are interspersed and closely linked
- M. Oshima, A. R. Pachner and
M. Z. Atassi 833 Profile of the regions of acetylcholine receptor α chain recognized by T-lymphocytes and by antibodies in EAMG-susceptible and non-susceptible mouse strains after different periods of immunization with the receptor
- D. F. Lake, K. S. Lam,
L. Peng and E. M. Hersh 845 Molecular cloning, expression and mutagenesis of an anti-insulin single chain Fv (scFv)
- A. Buchwalder, M. S. Krangel,
P. Hao and D. J. Diamond 857 Immunochemical and molecular analysis of antigen binding to lipid anchored and soluble forms of an MHC independent human α/β T cell receptor
- 873 *Announcement*

i *Forthcoming Papers*

NUMBER 12

- C. Knall, A. Ingold and T. A. Potter 875 Analysis of coreceptor versus accessory molecule function of CD8 as a correlate of exogenous peptide concentration
- S. Demotz, C. Danieli, H.-J. Wallny
and O. Majdic 885 Inhibition of peptide binding to DR molecules by a leupeptin-induced invariant chain fragment
- E. N. Tsitsikov, N. Ramesh
and R. S. Geha 895 Structure of the murine CD40 ligand gene
- T. Bakács, H. U. Lutz, G. Tusnády,
L. Varga, A. H. Merry and R. R. Sim 901 An indirect effect of an antibody on complement deposition and lysis of differently sensitized surrounding cells
- N. Rauffer, G. Zeder-Lutz,
R. Wenger, M. H. V. Van Regenmortel
and D. Altschuh 913 Structure-activity relationships for the interaction between cyclosporin A derivatives and the Fab fragment of a monoclonal antibody
- G. Baier, K. M. Coggeshall,
G. Baier-Bitterlich, L. Giampa,
D. Telford, E. Herbert, W. Shih
and A. Altman 923 Construction and characterization of *lck*- and *fyn*-specific tRNA:ribozyme chimeras

- K. H. Roux, W. W. Shuford,
J. W. Finley, J. Esselstyn, S. Pankey,
H. V. Raff and L. J. Harris 933 Characterization of biosynthetic IgG oligomers resulting
from light chain variable domain duplication
- B. L. Talken, L. G. Harrison and
D. R. Lee 943 Association of L^d-restricted peptides with the wild-derived
mouse L^{w16} MHC class I molecule

i *Forthcoming Papers*

NUMBER 13

- B. L. Rogers, J. F. Bond, S. J. Craig,
A. K. Nault, D. B. Segal,
J. P. Morgenstern, M.-S. Chen,
C. B. Bizinkauskas, C. M. Counsell,
A. M. Lussier, T. Luby, M.-C. Kuo,
T. J. Briner and R. D. Garman 955 Potential therapeutic recombinant proteins comprised of
peptides containing recombined T cell epitopes
- J. P. Dutz, T. J. Tsomides,
S. Kageyama, M. H. Rasmussen
and H. N. Eisen 967 A cytotoxic T lymphocyte clone can recognize the same
naturally occurring self peptide in association with a self
and a nonself class I MHC protein
- Y.-H. Chen, G. Böck, R. Vornhagen,
F. Steindl, H. Katinger
and M. P. Dierich 977 HIV-1 gp41 binding proteins and antibodies to gp41 could
inhibit enhancement of human Raji cell MHC class I and II
expression by gp41
- M. Ohlin, H. Owman, J. D. Rioux,
M. M. Newkirk and
C. A. K. Borrebaeck 983 Restricted variable region gene usage and possible
rheumatoid factor relationship among human monoclonal
antibodies specific for the AD-1 epitope on cyto-
megalo virus glycoprotein B
- J. Madrenas, D. H. Vincent,
J. Kriangkum, J. F. Elliott and
P. F. Halloran 993 Alternatively spliced, germline J α 11-2-C α mRNAs are the
predominant T cell receptor α transcripts in mouse kidney
- M. Sigvardsson and T. Leanderson 1005 Positive transcriptional control elements within the SP6 κ
promoter decamer 3' flanking sequence
- J.-H. Huang, N. S. Greenspan
and M. L. Tykocinski 1017 Alloantigenic recognition of artificial glycosyl
phosphatidylinositol-anchored HLA-A2.1
- E. E. Max, N. Jahan,
H. Yi and W. O. McBride 1029 A processed J chain pseudogene on human chromosome
8 that is shared by several primate species

i *Forthcoming Papers*

NUMBER 14

- C. Stemmer, J.-P. Briand and
S. Muller 1037 Mapping of linear epitopes of human histone H1
recognized by rabbit anti-H1/H5 antisera and antibodies
from autoimmune patients
- S. M. Kipriyanov, S. Dübel,
F. Breitling, R. E. Kontermann
and M. Little 1047 Recombinant single-chain Fv fragments carrying C-terminal
cysteine residues: production of bivalent and biotinylated
miniantibodies
- E. Döring, R. Stigler, G. Grütz,
R. Von Baehr and
J. Schneider-Mergener 1059 Identification and characterization of a TNF α antagonist
derived from a monoclonal antibody

- W. Chen, J. Fecondo and J. McCluskey 1069 The structural influence of individual residues located within peptide antigen depends upon their sequence context
- R. K. Bright, M. H. Shearer and R. C. Kennedy 1077 SV40 large tumor antigen associated synthetic peptides define native antigenic determinants and induce protective tumor immunity in mice
- M. Benhamou, E. H. Berenstein, M.-H. Jouvin and R. P. Siraganian 1089 The receptor with high affinity for IgE on rat mast cells is a functional receptor for rat IgG2a
- V. Guelpa-Fonlupt, D. Bossy, P. Alzari, F. Fumoux, M. Fougereau and C. Schiff 1099 The human pre-B cell receptor: structural constraints for a tentative model of the pseudo-light (Ψ L) chain
- P. L. Lim, D. T. M. Leung, Y. L. Chui and C. H. Ma 1109 Structural analysis of a phosphorylcholine-binding antibody which exhibits a unique carrier specificity for *Trichinella spiralis*
- D. P. Singal and X. Qiu 1117 *Short Communication*
Polymorphism in the upstream regulatory region and level of expression of HLA-DRB genes
- M.-H. Cottet, C. Denoyelle and G. Bordenave 1121 *Brief Structural Data Report*
Epitope complementarity and idiotypic interactions: a study of idiotypic-like interactions between anti-cytidine and anti-guanosine A/J mouse monoclonal antibodies. III. Immunochemical and structural analysis of a third party antibody: an anti-idiotypic antibody directed against an anti-guanosine antibody

i *Forthcoming Papers*

NUMBER 15

- J. Jongstra, M.-E. Ittel, N. N. Iscove and G. Brady 1125 The *LSP1* gene is expressed in cultured normal and transformed mouse macrophages
- V. van Kampen, W.-M. Becker, Z. Chen, H.-P. Rihs, G. Mazur, M. Raulf, V. Liebers, S. Isringhausen-Bley and X. Baur 1133 Analysis of B-cell epitopes in the N-terminal region of *Chi t I* component III using monoclonal antibodies
- P. M. Fischer and M. E. H. Howden 1141 Synthetic peptide antigens of tetanus toxin
- J. Bagley, P. J. Dillon, C. Rosen, J. Robinson, J. Sodroski and W. A. Marasco 1149 Structural characterization of broadly neutralizing human monoclonal antibodies against the CD4 binding site of HIV-1 gp120
- B. Nag, P. V. Mukku, S. Arimilli, D. Phan, S. V. Deshpande and J. L. Winkelhake 1161 Antigenic peptide binding to MHC class II molecules at increased peptide concentrations
- B. L. Talken, K. Peterson, L. G. Harrison and D. R. Lee 1169 A polymorphic residue in the amino terminal α 1 hemi-domain of the mouse L^d class I molecule affects its assembly and surface expression
- S. E. Dierks, K. A. Campbell, E. J. Studer and D. H. Conrad 1181 Molecular mechanisms of murine Fc ϵ RII/CD23 regulation
- W. Huang, B. Nardelli and J. P. Tam 1191 Lipophilic multiple antigen peptide system for peptide immunogen and synthetic vaccine

- M. L. Phillips, Mi-Hua Tao,
S. L. Morrison and V. N. Schumaker 1201 Human/mouse chimeric monoclonal antibodies with human IgG1, IgG2, IgG3 and IgG4 constant domains: electron microscopic and hydrodynamic characterization

1211 *Announcement*

i *Forthcoming Papers*

NUMBER 16

- I. C. Nicholson and H. Zola 1213 Rapid detection of immunoglobulin gene somatic hypermutation using heteroduplex formation
- J. R. Frey, L. Kuhn, J. R. Kettman and I. Lefkovits 1219 The amino acid composition of 350 lymphocyte proteins
- H. Haouas and A. Benammar-el Gaaied 1233 A genetic marker of rabbit immunoglobulin V_H region: a109
- A. Mey, D. Ponard, M. Colomb, G. Normier, H. Binz and J.-P. Revillard 1239 Acylation of the lipid A region of a *Klebsiella pneumoniae* LPS controls the alternative pathway activation of human complement
- V. Pancré, I. Wolowczuk, M. Bossus, H. Gras-Masse, S. Guerret, A. Delanoye, A. Capron and C. Auriault 1247 Evaluation of the effect of Sm28GST-derived peptides in murine hepatosplenic schistosomiasis: interest of the lipopeptidic form of the C-terminal peptide
- A. Delvig, S. Jahn, B. Kusecek, J. E. Heckels, E. Rosenqvist, E. A. Høiby, T. E. Michaelsen and M. Achtman 1257 A comparison of human and murine monoclonal IgGs specific for the P1.7 PorA protein of *Neisseria meningitidis*
- T. Heike, R. Nishikomori, M. Kawai, A. Tsuboi, N. Arai and H. Mikawa 1269 Developmental changes of GM-CSF gene inducibility in embryonal carcinoma cells
- P. Flomenberg, E. Gutierrez and K. T. Hogan 1277 Identification of class I MHC regions which bind to the adenovirus E3-19k protein
- R. C. Brower, R. England, T. Takeshita, S. Kozlowski, D. H. Margulies, J. A. Berzofsky and Charles DeLisi 1285 Minimal requirements for peptide mediated activation of CD8⁺ CTL

i *Forthcoming Papers*

NUMBER 17

- C. Oetken, M. von Willebrand, A. Marie-Cardine, T. Pessa-Morikawa, A. Ståhls, S. Fisher and T. Mustelin 1295 Induction of hyperphosphorylation and activation of the p56^{lck} protein tyrosine kinase by phenylarsine oxide, a phosphotyrosine phosphatase inhibitor
- N. Bangia, B. Ghumman and T. H. Watts 1303 Effects of MHC II conformation and pH on the recognition of peptide by T cells

- A. Terskikh, S. Couty, A. Pèleguin, N. Hardman, W. Hunziker and J.-P. Mach 1313 Dimeric recombinant IgA directed against carcino-embryonic antigen, a novel tool for carcinoma localization
- C. A. Rey-Millet, C. L Villiers, F. M. Gabert, S. Chesne and M. G. Colomb 1321 C3b covalently associated to tetanus toxin modulates TT processing and presentation by U937 cells
- W. Jung, S. Krueger, C. Renner, A. Gause, U. Sahin, L. Trümper and M. Pfreundschuh 1329 Opposite effects of the CD30 ligand are not due to CD30 mutations: Results from cDNA cloning and sequence comparison of the CD30 antigen from different sources
- J. T. Beck, S. A. Marsters, R. J. Harris, P. Carter, A. Ashkenazi and S. M. Chamow 1335 Generation of soluble interleukin-1 receptor from an immunoadhesin by specific cleavage
- R. M. Pitti, S. A. Marsters, M. Haak-Frendscho, G. C. Osaka, J. Mordenti, S. M. Chamow and A. Ashkenazi 1345 Molecular and biological properties of an interleukin-1 receptor immunoadhesin
- I. Godard, J. Estaquier, L. Zenner, M. Bossus, C. Auriault, F. Darcy, H. Gras-Masse and A. Capron 1353 Antigenicity and immunogenicity of P30-derived peptides in experimental models of toxoplasmosis
- Y. Lu, G. D. Ussery, M. Jacim, M. Tschickardt, J. M. Boss and G. Blanck 1365 Retinoblastoma protein regulation of surface CD74 (invariant chain) expression in breast carcinoma cells
- K. L. Armour, P. R. Tempest, P. H. Fawcett, M. L. Fernie, S. I. King, P. White, G. Taylor and W. J. Harris 1369 Sequences of heavy and light chain variable regions from four bovine immunoglobulins
- K. Bush, N. K. Day, L. A. Kraus, R. A. Good and W. G. Bradley 1373 Molecular cloning of feline interleukin 12 p35 reveals the conservation of leucine-zipper motifs present in human and murine IL-12 p35

*Short Communications**Brief Structural Data Report**i Forthcoming Papers*

NUMBER 18

Review

- D. Eilat and W. F. Anderson 1377 Structure-function correlates of autoantibodies to nucleic acids. Lessons from immunochemical, genetic and structural studies

General Papers

- M. C. W. Feltkamp, M. P. M. Vierboom, W. M. Kast and C. J. M. Melief 1391 Efficient MHC class I-peptide binding is required but does not ensure MHC class I-restricted immunogenicity

- É. Rajnavölgyi, Z. Nagy,
I. Kurucz, P. Gogolák, G. K. Tóth,
G. Váradi, B. Penke, Z. Tigyi,
M. Hollósi and J. Gergely 1403 T cell recognition of the posttranslationally cleaved intersubunit region of influenza virus hemagglutinin
- T. Endo, J. Mestecky,
R. Kulhavy and A. Kobata 1415 Carbohydrate heterogeneity of human myeloma proteins of the IgA1 and IgA2 subclasses
- E. Celis, J. Fikes, P. Wentworth,
J. Sidney, S. Southwood,
A. Maewal, M.-F. Del Guercio,
A. Sette and B. Livingston 1423 Identification of potential CTL epitopes of tumor-associated antigen MAGE-1 for five common HLA-A alleles
- M. H. Smith, K. S. Lam,
E. M. Hersh, M. Lebl and W. J. Grimes 1431 Peptide sequences binding to MHC class I proteins
- R. G. Posner and M. Dembo 1439 Binding of bivalent ligand to cell surface IgE: can one detect ring formation?
- G. M. O'Neill, G. R. Donovan
and B. A. Baldo 1447 *Short Communication*
Sequence analyses of the native form of a major house dust mite allergen and its nascent polypeptide
- i *Forthcoming Papers*
- I *Index for Volume 31, 1994*

